

*Royal Exclusiv pumps & skimmers*

Vorgebirgsstr. 28 // 50389 Wesseling // Germany

Fon +49(0)2236/88055-0 // Fax +49(0)2236/88055-20

info@royal-exclusiv.de // www.royal-exclusiv.de



Since 1986



**Data sheet and list of spare parts for Red Dragon® 3 flow-pump**  
For all Red Dragon® 3 Speedy 100 Watt / 9,0m<sup>3</sup> pumps  
HIGHPRESSURE Version

v2.0

**ENG**



**Data sheet and power curve for flow pump with adjustable speed motor**

**Red Dragon® 3 Speedy pump 100 Watt / 9,0m<sup>3</sup> Product no.: 604/100/HP 799,00 €**  
 With prepared 10V conenction and Hirschmann-Plug-Conenction between pump and controller

Technical data Red Dragon® 3 Speedy pump 100 Watt / 9,0m<sup>3</sup>:



Performance: 9.000 liter / h  
 Cable length: 0,8 meter (plug controller)  
 3,0 meter (controller to pump)  
 Pressure side: Ø 32 mm Intake side: Ø 50 mm  
 Wattage: adjustable max. 100 Watt  
 Pressure height: max. 6,0 meter  
 Material/color: PVC black/red/grey with screw connection  
 Operating voltage: 230 Volt 50 Hz (also in 110V/60Hz available)  
 Noise level: 38 db at full speed (measured in 1 m distance - operation external)  
 Protection class: IP 68 (submersible pump) IP 66 (controller)  
 Weight: 4,7 kg  
 Height of intake side: center 70 mm  
 Dimension pump: 130 mm wide / 235 mm length / ~ 190 mm height  
 Dimension controller: 140 mm wide / 190 mm length / ~ 70 mm height



- Saltwater resistant M6 grade 2 titanium screws
- Saltwater resistant parabolic rubber feet for acoustic decoupling
- Extreme low noise brushless dc-delivery pump with grouted power electronics
- High efficient technology Made in Germany
- Inlet and Outlet complete with DIN connection, compact dimensions
- High performance ceramics bearings and hollow shaft for bypass purging in the rotor housing
- "The only" saltwater resistant pump with titanium rotor, titanium stator and shrivelled bearings
- Easy usage and maintenance. Low risk of calcification due to polished titanium parts and compulsory purgeing
- Heavy and massive craftsmanship against vibrations and oscillation
- CE conformity, developed and built according to VDE guidelines

Liter/h **Power curve 100W full load**

pressure height in inch	0"	19.69"	39.37"	59.06"	78.74"	98.43"	118.11"	137.8"	157.5"	242.1"
pressure height in meter	0m	0.5m	1.0m	1.5m	2m	2.5m	3.0m	3.5m	4.0m	6.15m (max)
liter / h	9400	7800	6800	6000	5100	4300	3500	3000	2500	0
gallons	2483	2061	1796	1585	1347	1136	925	793	660	0




For more information, please visit [www.royal-exclusiv.de](http://www.royal-exclusiv.de). Simply enter the part number or name into the search box or email: [info@royal-exclusiv.de](mailto:info@royal-exclusiv.de).

All information subject to change. We try our best, but printing errors reserved.



liter/h




pressure height in meter

Red Dragon® 3 Speedy Pump 100 Watt / 9,0m³  
HIGHPRESSURE

Power curve with **20W**

pressure height inch	0"	19.69"	39.37"	59.06"	0	0	0	0	0"	68.9"
pressure height meter	0m	0,5m	1,0m	1,5m	0	0	0	0	0m	1,75(max)
liter / hour	4800	3800	1800	300	0	0	0	0	0	0
gallons / hour	1268	1004	476	79	0	0	0	0	0	0

liter/h




pressure height in meter

Red Dragon® 3 Speedy Pump 100 Watt / 9,0m³  
HIGHPRESSURE

Power curve with **40W**

pressure height inch	0"	19.69"	39.37"	59.06"	78.74"	98.43"	118.1"	137.8"	0"	139.8"
pressure height meter	0m	0,5m	1,0m	1,5m	2m	2,5m	3,0m	3,5m	0m	3,55(max)
liter / hour	6100	5100	4100	3100	2200	1400	700	0	0	0
gallons / hour	1611	1347	1083	819	581	370	185	0	0	0

liter/h




pressure height in meter

Red Dragon® 3 Speedy Pump 100 Watt / 9,0m³  
HIGHPRESSURE

Power curve with **60W**

pressure height inch	0"	19.69"	39.37"	59.06"	78.74"	98.43"	118.1"	137.8"	157.5"	230.3"
pressure height meter	0m	0,5m	1,0m	1,5m	2m	2,5m	3,0m	3,5m	4,0m	4,95m (max)
liter / hour	7200	6300	5300	4400	3600	2800	2100	1400	900	0
gallons / hour	1902	1664	1400	1162	951	740	555	370	238	0

liter/h



pressure height in meter

Red Dragon® 3 Speedy Pump 100 Watt / 9,0m³  
HIGHPRESSURE

Power curve with **80W**

pressure height inch	0"	19.69"	39.37"	59.06"	78.74"	98.43"	118.1"	137.8"	157.5"	230.3"
pressure height meter	0m	0,5m	1,0m	1,5m	2m	2,5m	3,0m	3,5m	4,0m	5,85m (max)
liter / hour	8100	7200	6300	5400	4500	3700	2900	2500	1900	0
gallons / hour	2140	1902	1664	1427	1189	977	766	660	502	0

For more information, please visit [www.royal-exclusiv.de](http://www.royal-exclusiv.de). Simply enter the part number or name into the search box or email: [info@royal-exclusiv.de](mailto:info@royal-exclusiv.de).

All information subject to change. We try our best, but printing errors reserved.



## Red Dragon® 3 Speedy pump 100 Watt / 9,0m<sup>3</sup> Product no.: 604/100/HP

<b>list of spare parts</b>	<b>Product.no. (110V)</b>	<b>(230V)</b>	<b>Price</b>
part motor-block 100W	604/100/10		329,76 €
controller (complete without wire)	604/100/C/1	604/100/C/2	335,80 €
rotor complete 100W	604/100/SP12		182,78 €
pump head with AKB (anti-lime-bypass)	600/SP13		29,83 €
AKB (anti-lime-bypass) tube	600/SP15		5,52 €
titan screw 6x50mm with nut	600/SP5		9,94 €
o-ring for bearing plate Ø 85mm	603/ST3		4,97 €
screw connection complete Ø 32mm	175-32		6,07 €
screw connection complete Ø 50mm	175-50		7,63 €
o-ring pressure side Ø 32mm	174-32		1,66 €
o-ring intake side Ø 50mm	174-50		2,10 €
rubber feet set = 4 pieces	180		4,42 €

<b>accessories</b>	<b>Product.no. (110V)</b>	<b>(230V)</b>	<b>Price</b>
silicon anti-vibration pump head red Outtake 32mm	119-32		35,36 €
silicon anti-vibration pump head red Intake 50mm	119-50		52,52 €
silicon grease tube 6g	030/6		2,76 €
silicon grease tube 25g	030/25		8,29 €

## Red Dragon® 3 Speedy pump 100 Watt / 9,0m<sup>3</sup> Product no.: 604/100/HP

spare parts



part motor-block 100W  
604/100/10

spare parts



controller  
(complete with wire)  
604/100/C/x

spare parts



rotor complete 100W  
604/100/SP12

spare parts



pump head  
with AKB (anti-lime-bypass)  
600/SP13

spare parts



AKB (anti-lime-bypass) tube  
600/SP15

spare parts



titan screw 6x50mm  
with nut  
600/SP5

spare parts



o-ring for bearing plate  
603/ST3

spare parts



screw connection  
complete 32mm with o-ring  
175-32

spare parts



screw connection  
complete 50mm with o-ring  
175-50

spare parts



o-ring 32mm  
174-32

spare parts



o-ring 50mm  
174-50

spare parts



rubber feet set = 4 pieces  
180

accessories



silicon anti-vibration  
119-32

accessories



silicon grease tube 6g  
030-6

For more information, please visit [www.royal-exclusiv.de](http://www.royal-exclusiv.de). Simply enter the part number or name into the search box or email: [info@royal-exclusiv.de](mailto:info@royal-exclusiv.de).

All information subject to change. We try our best, but printing errors reserved.